

Statistical Learning for Text Data Analytics

Unconstrained Optimization Techniques

Yangqiu Song

Hong Kong University of Science and Technology

yqsong@cse.ust.hk


Spring 2018

*Contents are based on materials created by Peter Richt rik, Mark Schmidt, Francis Bach, Tianbao Yang, Rong Jin, Shenghuo Zhu, and Qihang Lin

Reference Content

- Peter Richtérik and Mark Schmidt. ICML Tutorial on Modern Convex Optimization Methods for Large-scale Empirical Risk Minimization. https://icml.cc/2015/tutorials/2015_ICML_ConvexOptimization_I.pdf
- Francis Bach. NIPS 2016 Tutorial on Large-Scale Optimization: Beyond Stochastic Gradient Descent and Convexity. http://www.di.ens.fr/~fbach/fbach_tutorial_vr_nips_2016.pdf and http://www.di.ens.fr/~fbach/ssra_tutorial_vr_nips_2016.pdf
- Tianbao Yang, Qihang Lin, and Rong Jin. KDD Tutorial on Big Data Analytics: Optimization and Randomization. <http://homepage.cs.uiowa.edu/~tyng/kdd15tutorial.html>
- Tianbao Yang, Rong Jin and Shenghuo Zhu. SDM Tutorial on Stochastic Optimization for Big Data Analytics: Algorithms and Library. <http://homepage.divms.uiowa.edu/~tyng/tutorial.html>

Course Topics



- Representation: language models, word embeddings, topic models
- Learning: supervised learning, semi-supervised learning, sequence models, deep learning, **optimization techniques**
- Inference: constraint modeling, joint inference, search algorithms

NLP applications: tasks introduced in Lecture 1

- 1 Introduction
- 2 Background
- 3 Unconstrained Convex Optimization
 - Gradient Based Optimization
 - Stochastic Subgradient
 - Finite-Sum Methods
 - Non-Smooth Objectives
- 4 Optimization for Neural Networks

- 1 Introduction
- 2 Background
- 3 Unconstrained Convex Optimization**
 - Gradient Based Optimization
 - **Stochastic Subgradient**
 - Finite-Sum Methods
 - Non-Smooth Objectives
- 4 Optimization for Neural Networks

Recall the regularized empirical risk minimization problem:

$$\min_{\mathbf{w} \in \mathbb{R}^d} \frac{1}{N} \underbrace{\sum_{i=1}^N \ell(\mathbf{w}, \mathbf{x}_i, y_i)}_{\text{Empirical Loss/Data Fitting}} + \underbrace{\lambda r(\mathbf{w})}_{\text{Regularization}}$$

- What if number of training examples N is very large?

Stochastic vs. Deterministic Gradient Methods

- We consider minimizing $f(\mathbf{w}) = \sum_{i=1}^N f_i(\mathbf{w})$
- **Deterministic** gradient method (Cauchy (1847)):

$$\mathbf{w}^{t+1} = \mathbf{w}^t - \eta^t \nabla f(\mathbf{w}^t) = \mathbf{w}^t - \frac{\eta^t}{N} \sum_{i=1}^N \nabla f_i(\mathbf{w}^t)$$


- Iteration cost is **linear in N**
- Convergence with constant η^t or line-search
- **Stochastic** gradient method (Robbins and Monro (1951)):
 - Random selection of i from $\{1, 2, \dots, N\}$

$$\mathbf{w}^{t+1} = \mathbf{w}^t - \eta^t f'_i(\mathbf{w}^t)$$


- Gives unbiased estimate of true gradient,
 $\mathbb{E}[f'_i(\mathbf{w})] = \frac{1}{N} \nabla f(\mathbf{w}) = \nabla f(\mathbf{w})$
- Iteration cost is **independent of N**
- Convergence requires $\eta^t \rightarrow 0$

Stochastic vs. Deterministic Gradient Methods

- We consider minimizing $f(\mathbf{w}) = \sum_{i=1}^N f_i(\mathbf{w})$
- **Deterministic** gradient method (Cauchy (1847)):



- **Stochastic** gradient method (Robbins and Monro (1951)):



Stochastic vs. Deterministic Gradient Methods

Stochastic iterations are N times faster, but how many iterations?

| Assumption | Deterministic | Stochastic |
|-----------------|--------------------|-------------------------|
| Convex | $O(\frac{1}{T^2})$ | $O(\frac{1}{\sqrt{T}})$ |
| Strongly-Convex | $O((1 - \mu/L)^T)$ | $O(\frac{1}{T})$ |


Proof:

<https://www.cs.rochester.edu/u/jliu/CSC-576/class-note-10.pdf>

- Stochastic has **low iteration cost** but **slow convergence rate**
 - **Sublinear rate even in strongly-convex case**

Stochastic vs. Deterministic Convergence Rates

Plot of convergence rates in strongly-convex case:



Stochastic will be superior for low-accuracy/time situations.

Stochastic vs. Deterministic for Non-Smooth

- Consider the binary **support vector machine** objective:

$$\min_{\mathbf{w} \in \mathbb{R}^d} \sum_{i=1}^N \max\{0, 1 - y_i(\mathbf{w}^\top \mathbf{x}_i)\} + \frac{\lambda}{2} \|\mathbf{w}\|^2$$

- Rates for subgradient methods for **non-smooth** objectives (Shalev-Shwartz et al. (2011)):

| Assumption | Deterministic | Stochastic |
|-----------------|-------------------------|-------------------------|
| Convex | $O(\frac{1}{\sqrt{T}})$ | $O(\frac{1}{\sqrt{T}})$ |
| Strongly-Convex | $O(\frac{1}{T})$ | $O(\frac{1}{T})$ |

- Other black-box methods (cutting plane) are not faster
- For non-smooth problems:
 - Stochastic methods have **same rate as smooth case**
 - Deterministic methods are not faster than stochastic method**
 - So use **stochastic subgradient** (iterations are n times faster)

Sub-Gradients and Sub-Differentials

Recall that for differentiable convex functions we have

$$f(\mathbf{w}') \geq f(\mathbf{w}) + \nabla f(\mathbf{w})^\top (\mathbf{w}' - \mathbf{w}), \forall \mathbf{w}, \mathbf{w}'$$

A vector \mathbf{d} is a subgradient of a convex function f at \mathbf{w} if



$$f(\mathbf{w}') \geq f(\mathbf{w}) + \mathbf{d}^\top (\mathbf{w}' - \mathbf{w}), \forall \mathbf{w}, \mathbf{w}'$$

- At differentiable \mathbf{w} :
 - Only subgradient is $\nabla f(\mathbf{w})$
- At non-differentiable \mathbf{w} :
 - We have a set of subgradients
 - Called the **sub-differential**, $\partial f(\mathbf{w})$
- Note that $\mathbf{0} \in \partial f(\mathbf{w})$ if \mathbf{w} is a global minimum

Sub-Gradients and Sub-Differentials

A vector \mathbf{d} is a subgradient of a convex function f at \mathbf{w} if



$$f(\mathbf{w}') \geq f(\mathbf{w}) + \mathbf{d}^\top (\mathbf{w}' - \mathbf{w}), \forall \mathbf{w}, \mathbf{w}'$$



Sub-Gradients and Sub-Differentials

A vector \mathbf{d} is a subgradient of a convex function f at \mathbf{w} if



$$f(\mathbf{w}') \geq f(\mathbf{w}) + \mathbf{d}^\top (\mathbf{w}' - \mathbf{w}), \forall \mathbf{w}, \mathbf{w}'$$



Sub-Gradients and Sub-Differentials

A vector \mathbf{d} is a subgradient of a convex function f at \mathbf{w} if



$$f(\mathbf{w}') \geq f(\mathbf{w}) + \mathbf{d}^\top (\mathbf{w}' - \mathbf{w}), \forall \mathbf{w}, \mathbf{w}'$$



Sub-Gradients and Sub-Differentials

A vector \mathbf{d} is a subgradient of a convex function f at \mathbf{w} if


$$f(\mathbf{w}') \geq f(\mathbf{w}) + \mathbf{d}^\top (\mathbf{w}' - \mathbf{w}), \forall \mathbf{w}, \mathbf{w}'$$



Sub-Differential of Absolute Value and Max Functions

- Sub-differential of absolute value function (sign of the variable if non-zero, anything in $[-1, 1]$ at 0):


$$\partial|x| = \begin{cases} 1 & x > 0 \\ -1 & x < 0 \\ [-1, 1] & x = 0 \end{cases}$$



Sub-Differential of Absolute Value and Max Functions

- Sub-differential of absolute value function (sign of the variable if non-zero, anything in $[-1, 1]$ at 0):


$$\partial|x| = \begin{cases} 1 & x > 0 \\ -1 & x < 0 \\ [-1, 1] & x = 0 \end{cases}$$



Sub-Differential of Absolute Value and Max Functions

- Sub-differential of absolute value function (sign of the variable if non-zero, anything in $[-1, 1]$ at 0):

$$\partial|x| = \begin{cases} 1 & x > 0 \\ -1 & x < 0 \\ [-1, 1] & x = 0 \end{cases}$$



Sub-Differential of Absolute Value and Max Functions

- Sub-differential of absolute value function (sign of the variable if non-zero, anything in $[-1, 1]$ at 0):

$$\partial|x| = \begin{cases} 1 & x > 0 \\ -1 & x < 0 \\ [-1, 1] & x = 0 \end{cases}$$

- Sub-differential of max function (any convex combination of the gradients of the argmax):

$$\partial \max\{f_1(x), f_2(x)\} = \begin{cases} \nabla f_1(x) & f_1(x) > f_2(x) \\ \nabla f_2(x) & f_1(x) < f_2(x) \\ \theta \nabla f_1(x) + (1 - \theta) \nabla f_2(x) & f_1(x) = f_2(x) \end{cases}$$

Subgradient and Stochastic Subgradient methods

- The basic subgradient method:

$$\mathbf{w}^{t+1} = \mathbf{w}^t - \eta \mathbf{d}$$

for some $\mathbf{d} \in \partial f(\mathbf{w}^t)$

- For convergence, we require $\eta \rightarrow 0$
- The basic stochastic subgradient method:

$$\mathbf{w}^{t+1} = \mathbf{w}^t - \eta \mathbf{d}$$

for some $\mathbf{d} \in \partial f_i(\mathbf{w}^t)$ for some random $i \in \{1, 2, \dots, N\}$

Stochastic Subgradient Methods in Practice

- The theory says to use decreasing sequence $\eta^t = 1/\lambda t$

$$i_t = \text{RAND}(1, \dots, N), \eta^t = 1/\lambda t$$

$$\mathbf{w}^{t+1} = \mathbf{w}^t - \eta^t f'_{i_t}(\mathbf{w}^t)$$

- $O(1/t)$ for smooth objectives
- $O(\log(t)/t)$ for non-smooth objectives (Shamir and Zhang (2013))
- Except for some special cases, **you should not do this**
 - Initial steps are huge: usually $\lambda = O(1/N)$ or $O(1/\sqrt{N})$
 - Later steps are tiny: $1/t$ gets small very quickly
 - Convergence rate is not robust to mis-specification of λ
- **Tricks that can improve theoretical and practical properties**
 - 1 Use smaller initial step-sizes, that go to zero more slowly
 - 2 Take a (weighted) average of the iterations or gradients:

$$\bar{\mathbf{w}}^t = \sum_{i=1}^t \omega^i \mathbf{w}^i \quad \bar{\mathbf{d}}^t = \sum_{i=1}^t \delta^i \mathbf{d}^i$$

Speeding up Stochastic Subgradient Methods

Works that support using large steps and averaging:

- Gradient averaging all previous steps improves constants (“dual averaging”) (Nesterov (2007)); Finds non-zero variables with sparse regularizers. (Xiao (2010))
- Averaging later iterations achieves $O(1/t)$ in non-smooth case. (Rakhlin et al. (2012))
- $\eta^t = O(1/t^\beta)$ for $\beta \in (0.5, 1)$ more robust than $\eta^t = O(1/t)$ (Bach and Moulines (2011))
- Constant step size ($\eta^t = \eta$) achieves rate of (Nedic and Bertsekas (2000))

$$\mathbb{E}[f(\mathbf{w}^t)] - f(\mathbf{w}^*) \leq (1 - 2\mu\eta)^t(f(\mathbf{w}^0) - f(\mathbf{w}^*)) + O(\eta)$$

- 1 Introduction
- 2 Background
- 3 Unconstrained Convex Optimization**
 - Gradient Based Optimization
 - Stochastic Subgradient
 - Finite-Sum Methods**
 - Non-Smooth Objectives
- 4 Optimization for Neural Networks


Big-N Problems

Recall the regularized empirical risk minimization problem:


$$\min_{\mathbf{w} \in \mathbb{R}^d} \frac{1}{N} \underbrace{\sum_{i=1}^N \ell(\mathbf{w}, \mathbf{x}_i, y_i)}_{\text{Empirical Loss/Data Fitting}} + \underbrace{\lambda r(\mathbf{w})}_{\text{Regularization}}$$

- Stochastic methods:
 - $O(1/t)$ convergence but requires 1 gradient per iterations
 - Rates are unimprovable for general stochastic objectives
- Deterministic methods:
 - $O(\rho^t)$ convergence but requires N gradients per iteration
 - The faster rate is possible because N is finite
- For minimizing finite sums, can we design a better method?

Motivation for Hybrid Methods



Motivation for Hybrid Methods



Hybrid Deterministic-Stochastic

- Control the sample size
- The FG method uses all **N gradients**,

$$\nabla f(\mathbf{w}^t) = \frac{1}{N} \sum_{i=1}^N \nabla f_i(\mathbf{w}^t)$$

- The SG method approximates it with **1 sample**,

$$\nabla f_{i_t}(\mathbf{w}^t) \approx \frac{1}{N} \sum_{i=1}^N \nabla f_i(\mathbf{w}^t)$$

- A common variant is to use **larger sample \mathcal{B}^t** ,

$$\sum_{i=1}^{|\mathcal{B}^t|} \nabla f_i(\mathbf{w}^t) \approx \frac{1}{N} \sum_{i=1}^N \nabla f_i(\mathbf{w}^t)$$


- The SG method with a sample \mathcal{B}^t uses iterations

$$\mathbf{w}^{t+1} = \mathbf{w}^t - \frac{\eta^t}{|\mathcal{B}^t|} \sum_{i \in \mathcal{B}^t} \nabla f_i(\mathbf{w}^t)$$

- For a fixed sample size $|\mathcal{B}^t|$, the **rate is sublinear**
- Gradient error decreases as **sample size $|\mathcal{B}^t|$ increases**
- Common to **gradually increase the sample size $|\mathcal{B}^t|$** (Bertsekas and Tsitsiklis (1996))
- We can **choose $|\mathcal{B}^t|$ to achieve a linear convergence rate:**
 - Early iterations are cheap like SG iterations
 - Later iterations can use a Newton-like method

Evaluation on Chain-Structured CRFs

Results on chain-structured conditional random field:



Stochastic Average Gradient (SAG)

- Growing $|\mathcal{B}^t|$ eventually requires $O(N)$ iteration cost
- Can we have a rate of $O(\mu^t)$ with only 1 gradient evaluation per iteration?
- YES! The stochastic average gradient (SAG) algorithm (Roux et al. (2012)):
 - Randomly select i_t from $\{1, 2, \dots, N\}$ and compute $\nabla f_{i_t}(\mathbf{w}^t)$

$$\mathbf{w}^{t+1} = \mathbf{w}^t - \frac{\eta^t}{N} \sum_{i=1}^N g_i^t$$

where

$$g_i^t = \begin{cases} \nabla f_{i_t}(\mathbf{w}^t) & \text{if } i_t \text{ is selected} \\ g_i^{t-1} & \text{otherwise} \end{cases}$$

- **Memory:** $g^t = \nabla f_{i_t}(\mathbf{w}^t)$ from the last t where i_t was selected
 - Keep in memory the gradients of all functions f_i
 - Extra memory requirement: same size as original data
- Others, such as: stochastic variant of increment average gradient (IAG) (Blatt et al. (2007))

Convergence Rate of SAG

- If each f'_i is Lipschitz continuous and f is strongly-convex, with $\eta^t = 1/16L$, SAG has:

$$\mathbb{E}[f(\mathbf{w}^t) - f(\mathbf{w}^*)] \leq \left(1 - \min \left\{ \frac{\mu}{16L}, \frac{1}{8N} \right\}\right)^t C$$

where

$$C = [f(\mathbf{w}^0) - f(\mathbf{w}^*)] + \frac{4L}{N} \|\mathbf{w}^0 - \mathbf{w}^*\|^2 + \frac{\sigma^2}{16L}$$

- Linear convergence rate but only **1 gradient per iteration**
 - For well-conditioned problems, constant reduction per pass:

$$\left(1 - \frac{1}{8N}\right)^N \leq \exp\left(-\frac{1}{8}\right) = 0.8825$$

- For ill-conditioned problems, almost same as deterministic method (but N times faster).

Rate of Convergence Comparison


(Assuming Strongly-convex)

- Assume that $N = 700,000$, $L = 0.25$, $\mu = 1/N$:
 - Gradient method has rate $\left(\frac{L+\mu}{L-\mu}\right) = 0.99999$
 - Accelerated gradient method has rate $(1 - \sqrt{\frac{\mu}{L}}) = 0.99761$
 - SAG (N iterations) has rate $(1 - \min\{\frac{\mu}{16L}, \frac{1}{8N}\})^N = 0.88250$**
 - Fastest possible first-order method: $(1 - \frac{\sqrt{L-\sqrt{\mu}}}{\sqrt{L}+\sqrt{\mu}})^2 = 0.99048$
- SAG beats two lower bounds:
 - Stochastic gradient bound (of $O(1/T)$)
 - Deterministic gradient bound (for typical L , μ , and N)
- Number of f_i evaluations to reach ϵ : (iteration complexity)

| | |
|-------------|---|
| Stochastic | $O(\frac{L}{\mu}(1/\epsilon))$ |
| Gradient | $O(N\frac{L}{\mu}\log(1/\epsilon))$ |
| Accelerated | $O(N\sqrt{\frac{L}{\mu}}\log(1/\epsilon))$ |
| SAG | $O(\max\{N, \frac{L}{\mu}\}\log(1/\epsilon))$ |

Comparing Deterministic and Stochastic Methods

quantum ($N = 50,000$, $d = 78$) and rcv1 ($N = 697,641$, $d = 47,236$)



ASG: The average of the iterations generated by the SG method


AFG: Accelerated Full Gradient

IAG: increment average gradient (Blatt et al. (2007))

More results: <https://hal.inria.fr/hal-00674995v3/document>

Comparing Deterministic and Stochastic Methods

quantum ($N = 50,000$, $d = 78$) and rcv1 ($N = 697,641$, $d = 47,236$)



ASG: The average of the iterations generated by the SG method


AFG: Accelerated Full Gradient

IAG: increment average gradient (Blatt et al. (2007))


More results: <https://hal.inria.fr/hal-00674995v3/document>

Comparing Deterministic and Stochastic Methods

protein dataset ($N = 145,751$, $d = 74$), dataset split in two (training/testing)



Training cost



Testing cost

ASG: The average of the iterations generated by the SG method

AFG: Accelerated Full Gradient


RDA: Dual Averaging for Regularized Stochastic Learning (Xiao (2010))

pegasos: SGD for SVM (Shalev-Shwartz et al. (2011))


More results: <https://hal.inria.fr/hal-00674995v3/document>

Comparing Deterministic and Stochastic Methods

cover type dataset ($N = 581,012$, $d = 54$), dataset split in two (training/testing)



Training cost



Testing cost

ASG: The average of the iterations generated by the SG method

AFG: Accelerated Full Gradient

RDA: Dual Averaging for Regularized Stochastic Learning (Xiao (2010))

pegasos: SGD for SVM (Shalev-Shwartz et al. (2011))

More results: <https://hal.inria.fr/hal-00674995v3/document>

Minimizing Finite Sums: Dealing with the Memory

- A major disadvantage of SAG is the memory requirement
 - Use mini-batches (only store gradient of the mini-batch)
 - Use structure in the objective, e.g.,
 - For $f_i(\mathbf{w}) = L(\mathbf{x}_i^\top \mathbf{w})$, only need to store N values of $\mathbf{x}_i^\top \mathbf{w}$
 - If the above don't work, use stochastic variance-reduced gradient (SVRG)... (Johnson and Zhang (2013); Mahdavi et al. (2013))

Stochastic Variance-Reduced Gradient (SVRG)

- For $s = 0, 1, \dots$, do
 - (Maintain an estimate $\tilde{\mathbf{w}}_s$ that is close to the optimal \mathbf{w}^*)
 - Compute the gradient at $\tilde{\mathbf{w}}_s$: $\mathbf{d}_s = \frac{1}{N} \sum_{i=1}^N \nabla f_i(\tilde{\mathbf{w}}_s)$
 - Let $\mathbf{w}^0 = \tilde{\mathbf{w}}_s$
 - For $t = 1, \dots, m$ (e.g., choose $m = 2N$ for convex problem and $m = 5N$ in non-convex problems), do
 - Randomly select i_t from $\{1, 2, \dots, N\}$
$$\mathbf{w}^t = \mathbf{w}^t - \eta^t (\nabla f_{i_t}(\mathbf{w}^{t-1}) - \nabla f_{i_t}(\tilde{\mathbf{w}}_s) + \mathbf{d}_s)$$
 - Option 1: set $\tilde{\mathbf{w}}_s = \bar{\mathbf{w}}$
 - Option 2: set $\tilde{\mathbf{w}}_s = \mathbf{w}^t$ for randomly chosen t from $t = 1, \dots, m$
- Requires 2 gradients per iteration but only requires storing \mathbf{d}_s and $\tilde{\mathbf{w}}_s$
- $\mathbb{E}[\nabla f_{i_t}(\mathbf{w}^{t-1}) - \nabla f_{i_t}(\tilde{\mathbf{w}}_s) + \mathbf{d}_s] = \frac{1}{N} \nabla f_i(\mathbf{w}^{t-1}) = \nabla f(\mathbf{w}^{t-1})$
 - When $\tilde{\mathbf{w}}_s$ and \mathbf{w}^{t-1} converged to the same parameter \mathbf{w}^* , then $\mathbf{d}_s \rightarrow 0$
 - Therefore if $\nabla f_{i_t}(\tilde{\mathbf{w}}_s) \rightarrow \nabla f_{i_t}(\mathbf{w}^*)$, then
$$\nabla_{i_t} f(\mathbf{w}^{t-1}) - \nabla f_{i_t}(\tilde{\mathbf{w}}_s) + \mathbf{d}_s \rightarrow \nabla_{i_t} f(\mathbf{w}^{t-1}) - \nabla f_{i_t}(\mathbf{w}^*) \rightarrow 0$$
 - Unlike SGD, the learning rate η^t for SVRG does not have to decay, which leads to faster convergence as one can use a relatively large learning rate.

References I

- Bach, F. R. and Moulines, E. (2011). Non-asymptotic analysis of stochastic approximation algorithms for machine learning. In *NIPS*, pages 451–459.
- Bertsekas, D. P. and Tsitsiklis, J. N. (1996). *Neuro-Dynamic Programming*. Athena Scientific, 1st edition.
- Blatt, D., III, A. O. H., and Gauchman, H. (2007). A convergent incremental gradient method with a constant step size. *SIAM Journal on Optimization*, 18(1):29–51.
- Cauchy, A. (1847). Méthode générale pour la résolution des systèmes d'équations simultanées. *C. R. Acad. Sci. Paris*, 25:536–538.
- Johnson, R. and Zhang, T. (2013). Accelerating stochastic gradient descent using predictive variance reduction. In *NIPS*, pages 315–323.
- Mahdavi, M., Zhang, L., and Jin, R. (2013). Mixed optimization for smooth functions. In *NIPS*, pages 674–682.
- Nedic, A. and Bertsekas, D. P. (2000). *Convergence rate of incremental subgradient algorithms*, pages 263–304.
- Nesterov, Y. (2007). Gradient methods for minimizing composite objective function. Technical report, Center for operations research and econometrics (CORE), Catholic University of Louvain (UCL).

References II

- Rakhlin, A., Shamir, O., and Sridharan, K. (2012). Making gradient descent optimal for strongly convex stochastic optimization. In *ICML*.
- Robbins, H. and Monro, S. (1951). A Stochastic Approximation Method. *The Annals of Mathematical Statistics*, 22(3):400–407.
- Roux, N. L., Schmidt, M. W., and Bach, F. R. (2012). A stochastic gradient method with an exponential convergence rate for finite training sets. In *NIPS*, pages 2672–2680.
- Shalev-Shwartz, S., Singer, Y., Srebro, N., and Cotter, A. (2011). Pegasos: primal estimated sub-gradient solver for SVM. *Math. Program.*, 127(1):3–30.
- Shamir, O. and Zhang, T. (2013). Stochastic gradient descent for non-smooth optimization: Convergence results and optimal averaging schemes. In *ICML*, pages 71–79.
- Xiao, L. (2010). Dual averaging methods for regularized stochastic learning and online optimization. *Journal of Machine Learning Research*, 11:2543–2596.